


PERFORMANCE SERIES



MARELD BANY 6000 APP



WIDE
LIGHT



EXTREMELY
DURABLE



OUTDOOR
USE



INDOOR
USE



LARGE
AREAS



BLUETOOTH

MARELD
PRO LIGHTING®

INSTRUKTIONSMANUAL | INSTRUCTION MANUAL | INSTRUKSJONSBOK | KÄYTTÖOHJE

ENGLISH

IMPORTANT

Read these instructions fully before using the Luminaire, portable
Retain these instructions for future reference.

Technical data

1. Art.no.690007208
2. The body Materials: AL+ PC + Rubber
3. Lumen: 6000lm
4. LED Color temperature: Approx 6500K
5. CIR : >80
6. IP65 ; IK08
7. With professional switch
Dimming function : 25% / 50% / 75% / 100%
Quickly released AC plug with 5m cables , Cable: HQ7RN-F 2 X 1.0mm² X 5m
(Please noted that this AC plug is only supplied the power for LED, can't charging the battery)
8. Power Tool battery pack(18V battery: BOSCH , Dewalt , Makita ,Milwaukee, Metabo) :
Lighting time : Depend on each battery capacity
Example : 18V 3A battery .
100% / 1h ; 75% / 1.5h ; 50% / 2h ; 25% / 4h
9. Accessories : Quickly released plug with 5m cables
Extra adapters (BOSCH , Dewalt = Milwaukee, Metabo, Makita)
10. With Bluetooth APP control (Wireless Light Control)

Safety instructions

Check the light and mains cable for damage before every use. Never use the light if you find any damage.

Warning! A damaged light or mains cable can cause fatal electric shock!

- If the light's mains cable is damaged, it must be replaced by a qualified technician to avoid hazards.
- The light must be properly grounded.
- LED lights are extremely bright. Please never look directly into the light.
- Ensure that the light is standing securely and firmly. Ensure that the cable does not get squeezed or damaged in any other way.
- Keep the light out of the reach of children. Children are unable to estimate the dangers of electricity.


Cleaning

- Do not use solvents, caustic cleaning agents or similar products. Only use a dry or slightly moistened cloth for cleaning.

Maintenance

Caution: Shock hazard



The light source of this lamp must be replaced by the manufacturer or its authorized service technician or a similarly qualified person only.

How to use the Power tool battery:


Insert the adaptor





Lock the adaptor



Put the power tool battery



Put the battery cover

How to use the lamp ?

ENGLISH

A: Tool Power Battery indicator
B: Brightness indicator
C: AC quickly released socket
D: Switch

Press 1st : 25%
Press 2nd: 50%
Press 3rd: 75%
Press 4th: 100%
Press 5th: OFF

If left in any mode for over 3 seconds , the next press will turn the light OFF .

IP65 It is only granted by "C" USB covered and battery covered .



Please never look directly into the light.



If the minimum distance is not complied with, illuminated objects may overheat.



Hot surface.

How to use APP?

System Requirements

Mobile terminal device (tablet, smartphone)
Android 4.0 (and above) / IOS 9(and above)

Control via APP

The light is equipped with a Bluetooth module control box which enables wireless data transfer to certain mobile terminal devices which have Bluetooth interface(e.g. smart phone , tablet)

In order to control the light via Bluetooth . You will need the " MARELED " app. Download the app from the corresponding app store (Apple App Store, Google Play Store)

Or Scan below .

For Apple APP Store



For Google Play Store



ENGLISH**APP Control light functions .**

Remote control . Switch on/off

Remote control . Dimmer light output 10%-100%

Time control .

Combining light in one group . Control up to 100 lamps (APP control box between 20 m by open space)

Renaming individual lamps · [NOTE: Please make different name for different lamps]